



Solicitud de Triciclo Adaptativo Amtryke

(Debe ser llenado completamente por el recipiente adulto o por el padre/tutor del menor)

Nombre del Solicitante _____ Fecha de solicitud: _____
Dirección: _____ Edad _____
Ciudad/Estado/Código postal: _____ Teléfono: _____
Diagnóstico: _____ Email: _____

Si el solicitante es menor de 18 años

Nombre del padre/tutor: _____
Si es diferente del anterior
Dirección: _____ Teléfono: _____
Ciudad/Estado/Código postal: _____ Email: _____

Nombre de contacto secundario: _____ Teléfono: _____

Nombre del terapeuta tratante: _____
Teléfono: _____ Email: _____

¿Cómo se enteró sobre el triciclo adaptativo Amtryke? (Marque todo lo que corresponda)

☐ Terapeuta ☐ Sitio web ☐ Miembro de AMBUCS ☐ Otro: _____

¿Necesitará ayuda financiera para obtener el triciclo? ☐ Si ☐ No

En caso afirmativo, ¿cuánto puedes pagar? _____

Nota: Los triciclos adaptativos Amtryke se distribuyen en base a los fondos disponibles y la necesidad. Las colocaciones individuales de los triciclos adaptativos Amtryke son a discreción de la sección local.

Díganos acerca del solicitante*:

*Esta información se hará pública para ayudar a obtener financiación. No incluya información que no desee que se comparta.

Incluir una foto del destinatario nos ayudará a obtener un patrocinador que le ayudará a pagar Amtryke más rápidamente. Se prefieren imágenes digitales, pero también aceptamos fotografías brillantes impresas profesionalmente. No fotocopias ni imágenes dobladas.

Al incluir una fotografía, usted da su consentimiento para que AMBUCS utilice la imagen en línea e impresa para ayudar a obtener financiación.

Firma: _____ Fecha: _____

Las personas no serán consideradas para la colocación hasta que los tres formularios sean devueltos a AMBUCS: este formulario completado por el destinatario/tutor, así como el Formulario de evaluación y el Formulario de selección de Tryke completados por el terapeuta.

Envíe el formulario completo por correo, correo electrónico o fax a su capítulo local o al Centro de recursos de AMBUCS.

Centro de recursos: P.O. Box 5127, High Point, NC 27262 Correo electrónico: wishlist@ambucs.org Fax: 336.852.6830

Este formulario, el formulario de evaluación y el formulario de selección de Tryke deben ser recibidos por su capítulo local o el Centro de recursos antes de considerar la colocación.

(800) 838-1845

ambucs.org

Formulario de exención de Triciclo Adaptable Amtryke

(Debe ser completado en su totalidad por un pasajero adulto o un padre/tutor)

Los miembros de AMBUCS en todo el país están dedicados a la creación de oportunidades para la movilidad e independencia de las personas con discapacidad proporcionando triciclos adaptativos Amtryke, ofreciendo becas educativas a estudiantes de terapia y haciendo diversas formas de servicio a la comunidad.

Propósito: El triciclo adaptativo Amtryke fue diseñado para las personas con discapacidad. Crea una sensación de libertad, desarrolla autoestima, fortalece los músculos y mejora la coordinación y la amplitud de movimiento — todo ello haciendo un ejercicio divertido.

Conducción: Inicialmente, el conductor puede tener dificultad girando o cambiando de dirección. Anímelo a ir hacia delante, hacia atrás y girar lentamente. Hay tres opciones de manejo para el Amtryke. En la columna frontal del triciclo encontrará dos orificios para el perno de dirección. El orificio de arriba es el de la dirección recta, el orificio de abajo permite hacer un giro de 20 grados de radio.

Precauciones de Seguridad

- Velocidad muy rápida y giros bruscos pueden causar que el triciclo adaptativo Amtryke se vuelque.
- Siempre lleve un casco cuando ande en un Amtryke.
- Se recomienda mucho el uso de equipo protector adicional.
- Se requiere la supervisión de un adulto si el triciclo es usado por conductores muy jóvenes.
- Use precaución cerca de vehículos, piscinas y otros cuerpos de agua, colinas, callejones y entradas con bajada.
- Siempre use zapatos.
- Nunca permita más de un conductor.
- Se recomienda el uso del perno de dirección para evitar posibles sobre manejes o volcaduras.

La información contenida en este servicio no es intencionada ni implícita por National AMBUCS™, Inc. para que sea un consejo médico profesional por National AMBUCS™, Inc. Siempre busque el consejo de su médico, terapeuta u otro proveedor médico calificado antes de empezar cualquier tratamiento o cualquier pregunta que tenga con respecto a una condición médica. Nada del contenido de este servicio está destinado por National AMBUCS™, Inc. para ser diagnóstico médico y tratamiento por National AMBUCS™, Inc. o en nombre de Nacional AMBUCS™, Inc. En ningún caso Nacional AMBUCS™, Inc. será responsable por cualquier honorario directo, indirecto, incidental, consecuente, especial, ejemplar, punitivo, monetario u otros daños, lesiones personales o daños a la propiedad, multas, pagos, costos de abogado, o responsabilidad de cualquier tipo que surja de o se relacione de alguna manera a este servicio o uso del triciclo terapéutico AmTryke®, y/o el contenido o la información proporcionada en este documento

☐ Al firmar a continuación estoy de acuerdo a ser fotografiado por National AMBUCS™, Inc. También estoy de acuerdo que mi foto y nombre puedan utilizarse en actividades de promoción por National AMBUCS y Amtryke LLC. Además otorgo Nacional AMBUCS™, Inc. la capacidad de utilizar las fotos y el nombre para propósitos de publicidad/anuncios sin compensación adicional, excepto donde esté prohibido por la ley.

Al firmar a continuación, reconozco que he leído y comprendido esta exención de responsabilidad.

Nombre del Solicitante: _____

Firma del receptor adulto: _____

Si el solicitante es menor de 18 años

Nombre del tutor legal: _____

Firma del tutor legal: _____ Fecha: _____

No se considerará a ningún individuo para una colocación hasta que se devuelvan las tres formas a AMBUCS: esta solicitud y la forma de renuncia (al reverso) llenados por el recipiente o tutor, así como la evaluación llenada por el terapeuta.

Envíe el formulario completo por correo, correo electrónico o fax a su capítulo local o al Centro de recursos de AMBUCS.

Centro de recursos: P.O. Box 5127, High Point, NC 27262 Correo electrónico: wishlist@ambucs.org Fax: 336.852.6830

Este formulario, el formulario de evaluación y el formulario de selección de Tryke deben ser recibidos por su capítulo local o el Centro de recursos antes de considerar la colocación..

(800) 838-1845
ambucs.org

Amtryke Evaluation Packet

(Must be filled out completely by therapist or physician)

Thanks for choosing an Amtryke adaptive tricycle! In order to accommodate the widest variety of people, Amtryke offers many tryke models and each can be customized in a variety of ways. Following the steps below will help you choose to the best tryke for your client from our wide variety of options. You can always refer to our website, www.amtrykestore.org, or the Amtryke catalogue for more information and product images.

Step 1: Fill out the Amtryke Assessment Form.

Step 2: Choose the way the tryke will be propelled: **Hand & Foot, Foot, or Hand**. Your choice should be based on the rider's ability and therapy goals.

Foot trykes were developed in response to requests from therapists for a traditional tricycle for riders with special needs.

Hand & Foot trykes improve coordination, strength and range of motion. Using all four extremities helps with weakness in any area, even general weakness, and can positively affect tone.

Hand trykes are designed for persons whose lower limbs lack function or those who need special therapy for the upper extremity.

Step 3: Take rider's measurements from the front of this Assessment Form and compare them to our Sizing Chart (the final page of this packet). This will narrow the choices considerably.

Step 4: Chose any adaptations and/or accessories needed by the rider. Each tryke model can only be customized in the ways noted in its own model section in the Tryke Selection Forms, or with accessories from the Generic Accessories section. If a customization option is not listed, it is because of design or other practical constraints in offering it on a particular model.

Note: The 1416, 1420, and 1420XL Foot Trykes offer two drive possibilities: **fixed** drive or **geared** drive. A **fixed** drive, commonly known as a 'fixie,' works on a mechanical level to help individuals make a full pedal rotation. The foot crank is constantly in motion for full therapeutic effect. Coasting is not possible with a positive drive; when limb motion stops, the bike does as well.

Riders of **geared** drive trykes must be able to make a complete pedal rotation on their own. This tryke is suitable for riders who need help with balance and a stable sitting position and who have the cognitive ability to steer successfully and apply the coaster brake or hand brake. The key feature of geared trykes is the ability to coast.

Amtryke Therapist Assessment Form

(must be signed off by a licensed PT, OT, or RT)

Rider's Name: _____
 Birth Month/Year: _____ Weight (lbs): _____ Height (inches): _____
 Diagnosis: _____
 This information is private and only utilized to appropriately fit the rider

Rider Information:

Safety Overview

(some riders may benefit from additional safety tools such as rear steering to optimize safety)

Please select any of the below mentioned conditions that your rider may present with:

Visual Impairment:	Yes	No
Behavioral or Cognitive Concerns:	Yes	No
Uncontrolled Seizures:	Yes	No
Significant endurance issues:	Yes	No

Transfer Ability : Independent MinA ModA MaxA Dependent

Measurements: (these measurements are crucial for appropriate fit)

A	Acromion process
B	Lateral epicondyle of elbow
C	MCP Joints/Knuckles
D	Greater trochanter
E	Lateral joint line
F	Bottom of foot

Helmet Sizing	
Size	Measurement (head circumference)
Toddler (XS)	17.7"-19.3"
Child (S)	20.5"-21.7"
Youth (L)	20.9"-22.4"
Adult (XL)	22.4"-23.6"

Arms (inches)				Total Length
Left	A to B:		B to C:	
Right	A to B:		B to C:	
Trunk (inches)		A to D:		
Legs (inches)				Total Length
Left	D to E:		E to F:	
Right	D to E:		E to F:	



Orthopedic Overview

Hip Status	Right	Left
Dislocated		
Subluxed		
Unclear		
Cleared		

Shoulder	Right	Left
Dislocated		
Subluxed		
Unclear		
Cleared		

Contractures (severity)		
Knee	R:	L:
Ankle	R:	L:
Elbow	R:	L:

Please mail, email, or fax completed form to your local chapter OR the AMBUCS Resource Center.
 ARC: P.O. Box 5127, High Point, NC 27262 Email: wishlist@ambucs.org Fax: 336-852-6830
 All three forms must be completed fully for the request to be processed.



Rider Information Continued:

Orthotics used: _____

Equipment: _____

Please list any comments about measurements: _____

Evaluating Therapist Information:

Therapist Name: _____ Are you the treating therapist? Yes No

Credentials: _____ Completed AEFT Course? Yes No

Phone: _____ Email: _____

Facility Name: _____

Address: _____ State/Zip: _____

Are you associated with an AMBUCS Chapter? Yes No

If yes, please indicate: _____

Therapist comments concerning the rider and family goals: _____

This request is directed to:

Local AMBUCS Chapter: _____

National Wish List (AMBUCS Resource Center)

By signing below, you are signifying that in your professional opinion this rider would benefit from an Amtryke. You assume no liability. If this form is being completed by a PTA, COTA, or unlicensed RT or RTA, cosignatory is required due to evaluation component of this form.

Therapist Name (printed): _____ Professional Designation: _____

Therapist Signature: _____ Date: _____

Cosignatory if necessary: _____ Date: _____

Shipping Information

Name/Facility: _____ Phone: _____

Address: _____ City: _____

State: _____ Zip code: _____

The following forms must be received before an order is placed or wish list addition: family request/liability form, Amtryke Therapist Assessment form, and tryke selection form.

Please mail, email, or fax completed form to your local chapter OR the AMBUCS Resource Center.

ARC: P.O. Box 5127, High Point, NC 27262 Email: wishlist@ambucs.org Fax: 336-852-6830

All three forms must be completed fully for the request to be processed.

2025 AMTRYKE SIZING CHART

NOTE: This chart supersedes all previous version and is subject to change with release of new models

PROPEL	MEASURE		TRYKE							
AMTRYKE TYPE How will the tryke be propelled?	RIDER LEG LENGTH Inches from center of hip to bottom of shoe	RIDER ARM LENGTH Inches from shoulder to center of digit crease	MODEL	RIDER WEIGHT (Pounds)	RIDER MAX HEIGHT (Inches)	TRYKE WEIGHT (Pounds)	WHEEL SIZE (Inches)	TRYKE HEIGHT (Inches)	TRYKE LENGTH (Inches)	TRYKE WIDTH (Inches)
HAND & FOOT	15-21	13-17	AM-10	55	40	45	10	24	38	21
	19-24	15-20	AM-12S	150	40	45	12	27	38	24
	21-29	14-23	AM-12	150	47	45	12	36	60	32
	24-36	18-27	AM-16	175	66	55	16	36	68	33
FOOT	15-21	12-20	1410	55	40	45	10	24	38	21
	21-31	10-24	Paceline 16	200	60	65	16	38.5	56	31.5
	28-45	20-34	Paceline 20	275	76	76	20	50	67	31.5
	30-41	20-28	JT-2000/ JT2300USS	250	74	80	20	48	72	32
	36-45	17-29	TP-3000	300	75	47	20	33	63-70	33
HAND*	up to 37	19-26	1020	250	67	74	20	41	69	30
	up to 41	22-30	1024	250	72	85	24	45	75	32

NEW!

All trykes in the hand and foot section can be converted to hand trykes

HELMET SIZES

Size	Head Circumference Inches
XS (Toddler)	17.7" - 19.3"
S (Child)	20.5" - 21.7"
M (Youth)	21.3" - 22.9"
L (Adult)	22.9" - 24.0"

Please see graphic below highlighting changes on the Paceline vs Pro series.

Please use the following forms to order the Paceline 16 and Paceline 20.



Paceline 16" & 20"

NEW FEATURES INCLUDE:

- Quick-release front wheel and rear steering kit
- Front disc brake now standard
- Additional rider adjustment to cover leg lengths from 21" to 31" (Paceline16) and 28" to 45" *(Paceline20)
- Aluminum frame for easier transport
- Disk brake and brake cable preinstalled on rear axle
- Easy separation of frame for transport
- Recumbent seating options
- Flat-free solid tires
- Consolidates previous generation models 1412 and 1416 (Paceline 16) and previous generation models 1420 and 1420XL (Paceline20)
- Fully padded back comes standard with easy adjustment of lumbar pad and headrest options



CONTACT AMTRYKE CUSTOMER SUPPORT FOR LATEST INFORMATION ON AVAILABILITY
amtryke@ambucs.org

Amtryke Paceline 20" Foot Cycle Order Form

Choose below to order a Standard or Customized tryke based on your riders' needs

Date: _____

PLEASE NOTE: We highly recommend that each tryke is fitted to a rider by a licensed Physical or Occupational Therapist

Standard Paceline 20" Foot Tryke

Quantity

Must be ordered as listed: Telescoping Handlebar, Expanding Pedals with leveler cord, Large Pommel Seat, Seatback, Lateral Supports, Single Speed Drive System, 85% assembled with free shipping

OR

Customized Paceline 20" Foot Tryke

Part Type	Part Number	Description	Qty:
Frame	LAF-20	LAF-20 Base Frame Price Includes all standard components: Front and Rear Frame, Front Wheel, Front Disc brake, Crank Set, Chainguard, Seat Base, Seat Post, Rear Axle, Rear Loading brake, Rear Wheels, Basket, Flag, and Helmet	
Handlebar	AM68000	Telescoping Loop Handlebar with foam Grip- Can be adjusted 13" in/out and swiveled up/down for ideal positioning	
	30-24-0011	12" Hi-rise handlebars with grips- For riders that do not need additional hand support or prefer a traditional style handlebar	
Pedals	AM78000	Expanding Pedals- Comes with adjustable pedal base, front and rear pedal straps, and leveling pulley kit	
	30-30-0122	Exercise Pedals- Provides support for riders that need minimal assistance in keeping feet on pedals, Includes adjustable strap	
	AM70000	Platform pedals- Standard bicycle pedals with no Foot support options	
Seat	AM30001	Medium Pommel- Soft countoured seat with high sides and built in pommel, 11.5" wide, 10.5" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation	
	AM30000	Large Pommel- Soft countoured seat with high sides and built in pommel, 14" wide, 13" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation	
	30-01-0201	Tractor Seat- Large contoured area for stable seating, 14" wide by 9" deep	
	30-01-0109	Simple Saddle Seat- Offers good stability and smaller seating area, 11 " wide by 9" deep	
Seatback	AM38002	Yes- Includes position belt, 3-way angle adjust, full padded backrest, and push handle	
	N/A	No- My rider does not need back, trunk, or head support (Add Ons below not needed)	
Seatback Add Ons	AM38003	Lateral Supports- Padded trunk supports that swivel, adjust up/down, and in/out	
	AM38008	Simple Headrest- Countoured headrest adjusts up/down, in/out (does not swivel)	
	AM38009	Lumbar Pad- Flat pad to support low back that adjusts up/down, in/out	
Rear Steer Kit	AM58004	Yes- Added rear caregiver bar to assist with steering and braking	
	N/A	No- My rider does not need assistance with steering or braking	
Drive System	AM48005	Single Speed Drive System- can be swapped between freewheel and direct drive	
	AM48003	Multi Speed Drive System- Shiftable 3-speed system for improved useability	
Rear Brake	AM58003	Rear Brake- Added rider control for rear brakes (cannot be used with Rear Steer Kit)	
	N/A	No- I have already added rear steer kit above or my rider does not need a rear brake	

Accessories- Choose All that Apply for Your Rider

Hand Accessories		Foot and Leg Accessories		General Accessories		Helmet -FREE
Part	Qty:	Part	Qty:	Part	Qty:	Circle One
Wrist Wrap (Pr)		2" Knee Separator-		H-Harness -		XS
XS, S, M, L Size:		Knee Abductor Strap -		Trainer Roller System -		S
Left WristBrace (Ea)		Medium FootCups (Pr)		Water Bottle w Cage -		M
XXS, XS, S, M Size:		Small FootCups (Pr)		License Plate (Ea) -		L
Right WristBrace(Ea)		Pedal Blocks (Ea) -		Name /Chapter		
XXS, XS, S, M Size:		Each Ea		Email (For Confirmation)		
		Pair Pr		Rider Name (Purchase Order)		

Amtryke Paceline 16" Foot Cycle Order Form

Choose below to order a Standard or Customized tryke based on your riders' needs

Date: _____

PLEASE NOTE: We highly recommend that each tryke is fitted to a rider by a licensed Physical or Occupational Therapist

Standard Paceline 16" Foot Tryke

Quantity

Must be ordered as listed: Telescoping Handlebar, Expanding Pedals with leveler cord, Medium Pommel Seat, Seatback, Lateral Supports, Single Speed Drive System, 85% assembled with free shipping

OR

Customized Paceline 16" Foot Tryke

Part Type	Part Number	Description	Qty:
Frame	MAF-16	MAF-16 Base Frame Price Includes all standard components: Front and Rear Frame, Front Wheel, Front Disc brake, Crank Set, Chainguard, Seat Base, Seat Post, Rear Axle, Rear Loading brake, Rear Wheels, Basket, Flag, and Helmet	
Handlebar	AM68000	Telescoping Loop Handlebar with foam Grip- Can be adjusted 13" in/out and swiveled up/down for ideal positioning	
	30-24-0011	12" Hi-rise handlebars with grips- For riders that do not need additional hand support or prefer a traditional style handlebar	
Pedals	AM78000	Expanding Pedals- Comes with adjustable pedal base, front and rear pedal straps, and leveling pulley kit	
	30-30-0122	Exercise Pedals- Provides support for riders that need minimal assistance in keeping feet on pedals, Includes adjustable strap	
	AM70000	Platform pedals- Standard bicycle pedals with no Foot support options	
Seat	AM30001	Medium Pommel- Soft countoured seat with high sides and built in pommel, 11.5" wide, 10.5" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation	
	AM30000	Large Pommel- Soft countoured seat with high sides and built in pommel, 14" wide, 13" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation	
	30-01-0201	Tractor Seat- Large contoured area for stable seating, 14" wide by 9" deep	
Seatback	AM38007	Yes- Includes position belt, 3-way angle adjust, full padded backrest, and push handle	
	N/A	No- My rider does not need back, trunk, or head support (Add Ons below not needed)	-
Seatback Add Ons	AM38003	Lateral Supports- Padded trunk supports that swivel, adjust up/down, and in/out	
	AM38008	Simple Headrest- Countoured headrest adjusts up/down, in/out (does not swivel)	
	AM38009	Lumbar Pad- Flat pad to support low back that adjusts up/down, in/out	
Rear Steer Kit	AM58001	Yes- Added rear caregiver bar to assist with steering and braking	
	N/A	No- My rider does not need assistance with steering or braking	
Drive System	AM48005	Single Speed Drive System- can be swapped between freewheel and direct drive	
	AM48003	Multi Speed Drive System- Shiftable 3-speed system for improved useability	
Rear Brake	AM58003	Rear Brake- Added rider control for rear brakes (cannot be used with Rear Steer Kit)	
	N/A	No- I have already added rear steer kit above or my rider does not need a rear brake	

Accessories- Choose All that Apply for Your Rider

Hand Accessories		Foot and Leg Accessories		General Accessories		Helmet -FREE
Part	Qty:	Part	Qty:	Part	Qty:	Circle One
Wrist Wrap (Pr)		2" Knee Separato		H-Harness		XS
XS, S, M, L Size:		Knee Abductor Strap		Trainer Roller System		S
Left WristBrace (Ea)		Medium FootCups (Pr)		Water Bottle w Cage		M
XXS, XS, S, M Size:		Small FootCups (Pr)		License Plate (Ea)		L
Right WristBrace(Ea)		Pedal Blocks (Ea)		Name /Chapter		
XXS, XS, S, M Size:		Each Ea		Email (For Confirmation)		
		Pair Pr		Rider Name (Purchase Order)		

Please note that Pro-Series Models 1412, 1416, 1420 and 1420 XL are no longer available.

Amtryke Selection

Rider's Name: _____

Generic Accessories

Fun Items	License Plate		Water Bottle with Cage	
Leg and Foot Items	Foot cups (pair):		Pedal Blocks: 1= ¾ inch	
	Small	Medium	Quantity	
Hand Items	Wrist Wraps (pair)		Wrist Brace/Mitt:	
	Xsmall:	Small:	Right	Left
	Medium:	Large:	XXS	XS
Safety/Position	H-harness=11.5" *not compatible with large wheelchair seat or recumbent seats		Small	Medium
	Knee Adductor Strap			

Generic accessories are compatible with most models.

Therapist notes or comments:



Foot Tryke Specific Accessories:

	Knee Separator: 2" 5" (not compatible with blue bucket, grey bucket, or snappy seat)
	9-inch Extender Tube 2" 5" (used with knee separator)
	Hi-Rise handlebars 5" (only 1412) 8" 12" 23"
	½ " Exercise Pedals (cannot be used with pedal blocks and footcups) Models: 1412, 1416, 1420, 1420XL
	½" Expanding Pedals [Models: 1412, comes standard on 1416, 1420, 1420XL]
	Rear steering kit with rear disk brake [Models: 1416, 1420, 1420XL] (cannot be used with dual hand brake- caregiver activates rear brake)
	Dual hand brake with rear disk brake [Models: 1416, 1420, 1420XL] (single lever- rider activates front and rear brakes)
	3-speed kit/coaster brake [Models: 1416, 1420, 1420XL] (pedaling backward activates brake)
	Calf & Leg supports [Models: 1416, 1420, 1420XL]

****Please make sure to select generic accessories at beginning of form****

Foot Trykes: please check the box for your tryke selection.

1410 Foot Tryke- comes standard with 10-inch wheels, fixed drive, and rear steering	
	<u>Option 1:</u> Standard seating system: Blue bucket seat
	<u>Option 2:</u> Snappy Seat system
	Accessories for Snappy: Laterals Head Rest
	<u>1410 Accessories:</u> Separator Cube

ProSeries 1412 Foot Tryke- Comes standard with 12-inch wheels, fixed drive, and rear steering	
	<u>Option 1:</u> Standard seating system: Medium Pommel Saddle Seat and 1600 simple seat back
	Seat options: Bench Seat Large Pommel Saddle Seat
	<u>Option 2:</u> 1400 ProSeries Seat Back System- (push grip, back pad, medium pommel and lateral supports)
	Seat options: Bench Seat Large Pommel Saddle Seat
	<u>ProSeries Accessories:</u> Full Padded Back Head Rest Lumbar Pad Recumbent Post (10 deg)
	<u>Option 3:</u> Gray Bucket Seat
	<u>Option 4:</u> Snappy Seat System (be sure of measurements)

	Snappy Seat Accessories:
	<div> <div>Laterals</div> <div>Head Rest</div> <div>Separator Cube</div> </div>
	1412 Accessories: Front Handle Brake Kit (cannot be used with rear steer brake)

ProSeries 1416 Foot Tryke- Comes standard with 16-inch wheels, fixed or freewheel drive	
	Option 1: Standard Seating System- 1400 ProSeries Seat back system- (push grip, back pad, medium pommel saddle seat and lateral supports) <u>Seat options:</u> <div> <div>Bench Seat</div> <div>Large Pommel</div> <div>Tractor Seat with bracket</div> <div>Saddle Seat</div> </div> <u>ProSeries Accessories:</u> <div> <div>Full Padded Back</div> <div>Head Rest</div> <div>Lumbar Pad</div> <div>Recumbent Post (10 deg)</div> </div>
	Option 2: 1600 Simple Seat back with Medium pommel saddle seat <u>Seat options:</u> <div> <div>Bench Seat</div> <div>Large Pommel</div> <div>Tractor Seat with bracket</div> <div>Saddle Seat</div> </div>
	Option 3: Gray Bucket Seat

ProSeries 1420 Foot Tryke- Comes standard with 20-inch wheels, fixed or freewheel drive	
	Option 1: Standard Seating System- 1400 ProSeries Seat back system- (push grip, back pad, large pommel saddle seat and lateral supports) <u>Seat options:</u> <div> <div>Bench Seat</div> <div>Medium Pommel</div> <div>Tractor Seat with bracket</div> <div>Saddle Seat</div> </div> <u>ProSeries Accessories:</u> <div> <div>Full Padded Back</div> <div>Head Rest</div> <div>Lumbar Pad</div> <div>Recumbent Post (10 deg)</div> </div>
	Option 2: 1600 Simple Seat back with large pommel saddle seat <u>Seat options:</u> <div> <div>Bench Seat</div> <div>Medium Pommel</div> <div>Tractor Seat with bracket</div> <div>Saddle Seat</div> </div>
	Option 3: Gray Bucket Seat

ProSeries 1420XL Foot Tryke- Comes standard with 20 inch wheels, fixed or freewheel drive	
	Option 1: Standard Seating System- 1400 ProSeries Seat back system- (push grip, back pad, large pommel saddle seat and lateral supports)



	<u>Seat options:</u> <div> <div>Bench Seat</div> <div>Medium Pommel</div> <div>Tractor Seat with bracket</div> <div>Saddle Seat</div> </div> <u>ProSeries Accessories:</u> <div> <div>Full Padded Back</div> <div>Head Rest</div> <div>Lumbar Pad</div> <div>Recumbent Post (10 deg)</div> </div>
	<u>Option 2:</u> 1600 Simple Seat back with large pommel saddle seat <u>Seat options:</u> <div> <div>Bench Seat</div> <div>Medium Pommel</div> <div>Tractor Seat with bracket</div> <div>Saddle Seat</div> </div>
	<div>_____</div> <div>Wheelchair seat option discontinued</div> <div>_____</div>
	<div>_____</div> <div>_____</div>

Recumbent Tryke Specific Accessories:

	Exercise pedals (cannot be used with pedal blocks and footcups)
	XL exercise pedals (cannot be used with pedal blocks and footcups)
	9/16 expanding pedals
	Basket (JT models only)
	Toe clips (only compatible with standard bike pedals)
	Dual Hand Brake

Recumbent Foot Trykes: please check the box for your tryke selection.

	<u>JT-2000</u> Recumbent Foot Tryke- Comes standard with 14-speed shifter, rider must be able to brake, steer, and change gears independently
	<u>JT-2300</u> Recumbent Foot Tryke- Comes standard with 14-speed shifter with <u>under the seat steering</u> , rider must be able to brake, steer, and change gears independently
	<u>TP-3000 Tadpole</u> Recumbent Foot Tryke- Comes standard with 7-speed shifter with <u>under the seat steering</u> , rider must be able to brake, steer, and change gears independently



Rider's Name: _____

Hand and Hand-Foot Tryke Specific Accessories:

	Knee Separator: 2" 5" (only on AM12 and AM16)
	9-inch extender tube (used with knee separator) 2" 5"
	Vertical Hand Grips [Models: AM10, AM12s, AM12, AM16]
	9/16 th inch exercise pedals [Models: AM12s, AM12, AM16]
	Foot platform → converts Hand-Foot to Hand only (only compatible with AM10, AM12, AM12s, and AM16)

****Please make sure to select generic accessories at beginning of form****

Hand-Foot Trykes: please check the box for your tryke selection.

AM-10 Hand-Foot Tryke- Comes standard with 10 inch wheels, 2.5 inch crank arms, and rear steering kit	
	<u>Option 1:</u> Blue Bucket Seat
	<u>Option 2:</u> Snappy Seat System <u>Snappy Accessories:</u> Head Rest Laterals
	<u>AM-10 Accessories:</u> Separator Cube

AM-12s Hand-Foot Tryke- Comes standard with 12 inch wheels, 3 inch crank arms, saddle seat, and rear steering kit	
	<u>Option 1:</u> 1600 Seat back with saddle seat Seat Options: Bench Seat Medium Pommel Large Pommel
	<u>Option 2:</u> ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports) <u>Seat options:</u> Bench Seat Medium Pommel Large Pommel <u>ProSeries Accessories:</u> Full Padded Back Head Rest Lumbar Pad
	<u>Option 3:</u> Blue Bucket Seat <u>Blue bucket Accessories:</u> Separator Cube



	<u>Option 4:</u> Snappy Seat System		
	<u>Snappy Accessories:</u>		
	Head Rest	Laterals	Separator Cube

<u>AM-12</u> Hand-Foot Tryke: Comes standard with 12 inch wheels, 4 inch crank arms, and rear steering kit			
	<u>Option 1:</u> 1600 Seat back with saddle seat		
	Seat Options:	Bench Seat	Medium Pommel Large Pommel
	<u>Option 2:</u> ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports)		
	<u>Seat options:</u>		
	Bench Seat	Medium Pommel	Large Pommel
	<u>ProSeries Accessories:</u>		
	Full Padded Back	Head Rest	Lumbar Pad
	<u>Option 3:</u> Gray Bucket Seat		
	<u>Option 4:</u> Snappy Seat System (please check measurements)		
	<u>Snappy Accessories:</u>		
	Head Rest	Laterals	Separator Cube

<u>AM-16</u> Hand-Foot Tryke- Comes standard with 16 inch wheels, 5 inch crank arm, and rear steering kit				
	<u>Option 1:</u> 1600 Seat back with saddle seat			
	Seat Options:	Bench Seat	Medium Pommel	Large Pommel
		Tractor Seat		
	<u>Option 2:</u> ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports)			
	<u>Seat options:</u>			
	Bench Seat	Medium Pommel	Large Pommel	Tractor Seat
	<u>ProSeries Accessories:</u>			
	Full Padded Back	Head Rest	Lumbar Pad	
	<u>Option 3:</u> Gray Bucket Seat			
	<u>AM-16 Accessories:</u>			
	XL exercise pedals			



Hand Cycles: please check the box for your tryke selection.

1020 “Junior” Hand Tryke- Comes standard with 20 inch wheels and 3-speed drive train. Rider should be able to steer, brake, and change gears independently.	
	<u>Option 1:</u> Small Wheelchair Seat
	Seat Alternatives: Large wheelchair seat
	<u>1020 Accessories:</u>
	Wheelchair seat bar ends Swing away arms

1024 Hand Tryke- Comes standard with 24 inch wheels and 3-speed drive train. Rider should be able to steer, brake, and change gears independently.	
	<u>Option 1:</u> Large Wheelchair Seat Seat Alternatives: Small wheelchair seat
	<u>1024 Accessories:</u> Wheelchair seat bar ends Swing away arms