



# Amtryke Adaptive Tricycle Request Form

(Must be filled out completely by adult rider or parent/guardian)

Recipient's Name: \_\_\_\_\_ Date of Request: \_\_\_\_\_  
Mailing Address: \_\_\_\_\_ Age: \_\_\_\_\_  
City/State/Zip: \_\_\_\_\_ Phone #: \_\_\_\_\_  
Diagnosis: \_\_\_\_\_ Email: \_\_\_\_\_

## If Recipient is Under Age 18

Parent/Guardian Name: \_\_\_\_\_  
**If different from above**  
Mailing Address: \_\_\_\_\_ Phone #: \_\_\_\_\_  
City/State/Zip: \_\_\_\_\_ Email: \_\_\_\_\_

Secondary Contact Name: \_\_\_\_\_ Phone #: \_\_\_\_\_

Treating Therapist's Name: \_\_\_\_\_  
Phone #: \_\_\_\_\_ Email: \_\_\_\_\_

How did you hear about the Amtryke Adaptive Tricycle? (Check all that apply)

Therapist  Website  AMBUCS Member  Other: \_\_\_\_\_

Will you need financial assistance to obtain the tricycle?  Yes  No

If yes, how much can you pay? \_\_\_\_\_

**Note:** Amtryke adaptive tricycles are distributed based on available funds and need. Individual placements of Amtryke adaptive tricycles are at the discretion of the local chapter or parent organization.

Is the recipient a U.S. Veteran?

Tell us about the recipient\*: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\*This information will be made public to help obtain funding. Please don't include information you don't want shared.

Including a photo of the recipient will help us obtain a sponsor to help you pay for the Amtryke more quickly. Digital images preferred but we also accept professionally printed glossy photos. No photocopies or folded images.  
By including a photo, you are giving consent for AMBUCS to use the image online and in print to help obtain a funding.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

**Individuals will not be considered for placement until all three forms are returned to AMBUCS: this form filled out by the recipient/guardian, as well as the Assessment Form and Tryke Selection Form filled out by the therapist.**

# Amtryke Adaptive Tricycle Waiver Form

(Must be filled out completely by adult rider or parent/guardian)

AMBUCS members nationwide are dedicated to creating opportunities for mobility and independence by providing Amtryke adaptive tricycles, offering educational scholarships to therapy students and performing various forms of community service.

**Purpose:** The Amtryke adaptive tricycle creates a feeling of freedom, builds self-esteem, strengthens muscles and improves motor coordination and range of motion—all while making exercise fun.

**Steering:** Initially, the rider may have difficulty turning or changing directions. Encourage the rider to go straight ahead, back up and slowly turn around. On many models there are three steering options for the Amtryke. On the front column of the tricycle you will find two holes for the steering pin. The top hole is straight steering, the bottom hole allows a 20-degree turning radius. Leaving the pin out gives the rider free steering.

## Safety Cautions

- Fast speeds and sharp turns can cause the Amtryke adaptive tricycle to tip or turn over.
- Always wear a helmet when riding an Amtryke. Use of other protective gear is highly recommended.
- Adult supervision required if used by younger or developmentally delayed riders.
- Use caution near vehicles, swimming pools and other bodies of water, hills, alleys and sloped driveways.
- Always wear shoes.
- Never allow more than one rider.
- Use of the steering pin is recommended to prevent over-steering or possible tip-overs.

*The information contained in this service is not intended nor implied by National AMBUCS™, Inc. to be professional medical advice by National AMBUCS, Inc. Always seek the advice of your physician, therapist or other qualified healthcare provider prior to starting any treatment or with any question you may have regarding a medical condition. Nothing contained in this document is intended by National AMBUCS, Inc. to be for medical diagnosis or treatment by National AMBUCS, Inc. or on behalf of National AMBUCS, Inc.*

*In no event shall National AMBUCS, Inc. be liable for any direct, indirect, incidental, consequential, special, exemplary, punitive, or any other monetary or other damages, personal injury or property damages, fees, fines, costs, attorney fees, or liabilities of any kind arising out of or relating in any way to this service or use of the Amtryke® adaptive tricycle, and/or content or information provided herein.*

### Information Sharing and Email Agreement

I understand that my Amtryke request information may be sent to AMBUCS via email.

I acknowledge that email communication may not be encrypted and that my personal information could be at risk of unauthorized access.

I give permission for my therapist to share and discuss relevant information with AMBUCS to assist in obtaining an Amtryke.

I understand this information will be used only for the purpose of evaluating and processing my Amtryke request.

Yes, I consent

No, I do not consent

I agree that the rider listed on the front of this document may be photographed. I also agree that the photos and recipient's name may be used in promotional efforts for National AMBUCS, Amtryke or the local AMBUCS chapter. I further grant AMBUCS the ability to use the photos and name for advertising/publicity purposes without additional compensation, except where prohibited by law. If anybody in my party does not want to be photographed under these same terms, I will let the photographer know as soon as possible.

**By signing below, I acknowledge that I have read and understood this liability waiver.**

Recipient's Name: \_\_\_\_\_

Adult Recipient Signature: \_\_\_\_\_

**If Recipient is Under Age 18**

Legal Guardian Name: \_\_\_\_\_

Legal Guardian Signature: \_\_\_\_\_ Date: \_\_\_\_\_

**Individuals will not be considered for placement until all three forms are returned to AMBUCS: this form filled out by the recipient/guardian, as well as the Assessment Form and Tryke Selection Form filled out by the therapist.**

# Amtryke Evaluation Packet

(Must be filled out completely by therapist or physician)

Thanks for choosing an Amtryke adaptive tricycle! In order to accommodate the widest variety of people, Amtryke offers many tryke models and each can be customized in a variety of ways. Following the steps below will help you choose the best tryke for your client from our wide variety of options. You can always refer to our website, [www.amtrykestore.org](http://www.amtrykestore.org), or the Amtryke catalogue for more information and product images.

**Step 1:** Fill out the Amtryke Assessment Form.

**Step 2:** Choose the way the tryke will be propelled: **Hand & Foot, Foot, or Hand**. Your choice should be based on the rider's ability and therapy goals.

**Foot trykes** were developed in response to requests from therapists for a traditional tricycle for riders with special needs.

**Hand & Foot trykes** improve coordination, strength and range of motion. Using all four extremities helps with weakness in any area, even general weakness, and can positively affect tone.

**Hand trykes** are designed for persons whose lower limbs lack function or those who need special therapy for the upper extremity.

**Step 3:** Take rider's measurements from the front of this Assessment Form and compare them to our Sizing Chart (the final page of this packet). This will narrow the choices considerably.

**Step 4:** Choose any adaptations and/or accessories needed by the rider. Each tryke model can only be customized in the ways noted in its own model section in the Tryke Selection Forms, or with accessories from the Generic Accessories section. If a customization option is not listed, it is because of design or other practical constraints in offering it on a particular model.

**Note:** The 1416, 1420, and 1420XL Foot Trykes offer two drive possibilities: **fixed** drive or **geared** drive. A **fixed** drive, commonly known as a 'fixie,' works on a mechanical level to help individuals make a full pedal rotation. The foot crank is constantly in motion for full therapeutic effect. Coasting is not possible with a positive drive; when limb motion stops, the bike does as well.

Riders of **geared** drive trykes must be able to make a complete pedal rotation on their own. This tryke is suitable for riders who need help with balance and a stable sitting position and who have the cognitive ability to steer successfully and apply the coaster brake or hand brake. The key feature of geared trykes is the ability to coast.



Adaptive Trykes for Amazing People!

# Amtryke Therapist Assessment Form

(must be signed off by a licensed PT, OT, or RT)

Rider's Name: \_\_\_\_\_  
 Birth Month/Year: \_\_\_\_\_ Weight (lbs): \_\_\_\_\_ Height (inches): \_\_\_\_\_  
 Diagnosis: \_\_\_\_\_

\*This information is private and only utilized to appropriately fit the rider\*

## Rider Information:

### Safety Overview

(some riders may benefit from additional safety tools such as rear steering to optimize safety)

Please select any of the below mentioned conditions that your rider may present with:

Visual Impairment:	Yes	No
Behavioral or Cognitive Concerns:	Yes	No
Uncontrolled Seizures:	Yes	No
Significant endurance issues:	Yes	No

Transfer Ability : Independent MinA ModA MaxA Dependent

Measurements: (these measurements are crucial for appropriate fit)

A	Acromion process
B	Lateral epicondyle of elbow
C	MCP Joints/Knuckles
D	Greater trochanter
E	Lateral joint line
F	Bottom of foot

Helmet Sizing	
Size	Measurement (head circumference)
Toddler (XS)	17.7"-19.3"
Child (S)	20.5"-21.7"
Youth (L)	21.3"-22.9"
Adult (XL)	22.9"-24"

Arms (inches)				Total Length
Left	A to B:		B to C:	
Right	A to B:		B to C:	
Trunk (inches)				A to D:
Legs (inches)				Total Length
Left	D to E:		E to F:	
Right	D to E:		E to F:	



### Orthopedic Overview

Hip Status	Right	Left
Dislocated		
Subluxed		
Unclear		
Cleared		

Shoulder	Right	Left
Dislocated		
Subluxed		
Unclear		
Cleared		

Contractures (severity)		
Knee	R:	L:
Ankle	R:	L:
Elbow	R:	L:

Please mail, email, or fax completed form to your local chapter OR the AMBUCS Resource Center.

ARC: 4285 Regency Dr, Greensboro, NC 27410 Email: [wishlist@ambucs.org](mailto:wishlist@ambucs.org) Fax: 336-852-6830

All three forms must be completed fully for the request to be processed.

**Rider Information Continued:**

Orthotics used: \_\_\_\_\_

Equipment: \_\_\_\_\_

Please list any comments about measurements: \_\_\_\_\_  
\_\_\_\_\_

**Evaluating Therapist Information:**

Therapist Name: \_\_\_\_\_ Are you the treating therapist? Yes      No

Credentials: \_\_\_\_\_ Completed AEFT Course? Yes      No

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Facility Name: \_\_\_\_\_

Address: \_\_\_\_\_ State/Zip: \_\_\_\_\_

Are you associated with an AMBUCS Chapter? Yes      No

If yes, please indicate: \_\_\_\_\_

Therapist comments concerning the rider and family goals: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

This request is directed to:

Local AMBUCS Chapter: \_\_\_\_\_

National Wish List (AMBUCS Resource Center)

By signing below, you are signifying that in your professional opinion this rider would benefit from an Amtryke. If this form is being completed by a PTA, COTA, or unlicensed RT or RTA, cosignatory is required due to evaluation component of this form.

Therapist Name (printed): \_\_\_\_\_ Professional Designation: \_\_\_\_\_

Therapist Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Cosignatory if necessary: \_\_\_\_\_ Date: \_\_\_\_\_

**Shipping Information**

Name/Facility: \_\_\_\_\_ Phone: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_

State: \_\_\_\_\_ Zip code: \_\_\_\_\_

The following forms must be received before an order is placed or wish list addition: family request/liability form, Amtryke Therapist Assessment form, and tryke selection form.

Please mail, email, or fax completed form to your local chapter OR the AMBUCS Resource Center.

ARC: 4285 Regency Dr, Greensboro, NC 27410 Email: [wishlist@ambucs.org](mailto:wishlist@ambucs.org) Fax: 336-852-6830

All three forms must be completed fully for the request to be processed.

# 2025 AMTRYKE SIZING CHART

**NOTE:** This chart supersedes all previous version and is subject to change with release of new models

PROPEL		MEASURE		TRYKE								
AMTRYKE TYPE How will the tryke be propelled?	TRYKE	RIDER LEG LENGTH Inches from center of hip to bottom of shoe	RIDER ARM LENGTH Inches from shoulder to center of digit crease	MODEL	RIDER WEIGHT (Pounds)	RIDER MAX HEIGHT (Inches)	TRYKE WEIGHT (Pounds)	WHEEL SIZE (Inches)	TRYKE HEIGHT (Inches)	TRYKE LENGTH (Inches)	TRYKE WIDTH (Inches)	TRYKE Frame Material
HAND & FOOT	15-21	13-17	AM-10	55	40	45	10	24	38	21	21	Steel
	19-24	15-20	AM-12S	150	40	45	12	27	38	24	24	Steel
	21-29	14-23	AM-12	150	47	45	12	36	60	32	32	Steel
	24-36	18-27	AM-16	175	66	55	16	36	68	33	33	Steel
FOOT	15-21	12-20	1410	55	40	45	10	24	38	21	21	Steel
	23-28	16-24	1412	125	42	72	12	13	43	27	27	Steel
	26-32	16-24	1416	175	60	74	16	49	58	30	30	Steel
	29-35	20-30	1420	250	68	74	20	50	64	30	30	Steel
	30-45	22-34	1420 XL	275	76	89	20	43	72	29	29	Steel
	21-31	10-24	Paceline 16	200	60	65	16	38.5	56	31.5	31.5	Aluminum
	28-45	20-34	Paceline 20	275	76	76	20	50	67	31.5	31.5	Aluminum
HAND*	30-41	20-28	JT-2000/JT2300USS	250	74	80	20	48	72	32	32	Steel
	36-45	17-29	TP-3000	300	75	47	20	33	63-70	33	33	Chromoly
	up to 37	19-26	1020	250	67	74	20	41	69	30	30	Steel
	up to 41	22-30	1024	250	72	85	24	45	75	32	32	Steel

## HELMET SIZES

All trykes in the hand and foot section can be converted to hand trykes

Size	Head Circumference Inches
XS (Toddler)	17.7"- 19.3"
S (Child)	20.5" – 21.7"
M (Youth)	21.3" – 22.9"
L (Adult)	22.9" – 24.0"



Please see graphic below highlighting changes on the Paceline vs Pro series.

Please use the following forms to order the Paceline 16 and Paceline 20.



## Paceline 16" & 20"

### NEW FEATURES INCLUDE:

- Quick-release front wheel and rear steering kit
- Front disc brake now standard
- Additional rider adjustment to cover leg lengths from 21" to 31" (Paceline16) and 28" to 45" \*(Paceline20)
- Aluminum frame for easier transport
- Disk brake and brake cable preinstalled on rear axle
- Easy separation of frame for transport
- Recumbent seating options
- Flat-free solid tires
- Consolidates previous generation models 1412 and 1416 (Paceline 16) and previous generation models 1420 and 1420XL (Paceline20)
- Fully padded back comes standard with easy adjustment of lumbar pad and headrest options



CONTACT AMTRYKE CUSTOMER SUPPORT FOR LATEST INFORMATION ON AVAILABILITY  
[amtryke@ambucs.org](mailto:amtryke@ambucs.org)



Adaptive Trykes for Amazing People!

## Amtryke Paceline 20" Foot Cycle Order Form

Choose below to order a Standard or Customized tryke based on your riders' needs

Date: \_\_\_\_\_

**PLEASE NOTE:** We highly recommend that each tryke is fitted to a rider by a licensed Physical or Occupational Therapist

### Standard Paceline 20" Foot Tryke

Quantity \_\_\_\_\_

Must be ordered as listed: Telescoping Handlebar, Expanding Pedals with leveler cord, Large Pommel Seat, Seatback, Lateral Supports, Single Speed Drive System, 85% assembled with free shipping

**OR**

### Customized Paceline 20" Foot Tryke

Part Type	Part Number	Description	Qty:
Frame	LAF-20	<b>LAF-20 Base Frame Price Includes all standard components:</b> Front and Rear Frame, Front Wheel, Front Disc brake, Crank Set, Chainguard, Seat Base, Seat Post, Rear Axle, Rear Loading brake, Rear Wheels, Basket, Flag, and Helmet	
Handlebar	AM68000	<b>Telescoping Loop Handlebar with foam Grip-</b> Can be adjusted 13" in/out and swiveled up/down for ideal positioning	
	30-24-0011	<b>12" Hi-rise handlebars with grips-</b> For riders that do not need additional hand support or prefer a traditional style handlebar	
Pedals	AM78000	<b>Expanding Pedals-</b> Comes with adjustable pedal base, front and rear pedal straps, and leveling pulley kit	
	30-30-0122	<b>Exercise Pedals-</b> Provides support for riders that need minimal assistance in keeping feet on pedals, Includes adjustable strap	
	AM70000	<b>Platform pedals-</b> Standard bicycle pedals with no Foot support options	
Seat	AM30001	<b>Medium Pommel-</b> Soft contoured seat with high sides and built in pommel, 11.5" wide, 10.5" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation	
	AM30000	<b>Large Pommel-</b> Soft contoured seat with high sides and built in pommel, 14" wide, 13" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation	
	30-01-0201	<b>Tractor Seat-</b> Large contoured area for stable seating, 14" wide by 9" deep	
	30-01-0109	<b>Simple Saddle Seat-</b> Offers good stability and smaller seating area, 11" wide by 9" deep	
Seatback	AM38002	<b>Yes-</b> Includes position belt, 3-way angle adjust, full padded backrest, and push handle	
	N/A	<b>No-</b> My rider does not need back, trunk, or head support (Add Ons below not needed)	
Seatback Add Ons	AM38003	<b>Lateral Supports-</b> Padded trunk supports that swivel, adjust up/down, and in/out	
	AM38008	<b>Simple Headrest-</b> Contoured headrest adjusts up/down, in/out (does not swivel)	
	AM38009	<b>Lumbar Pad-</b> Flat pad to support low back that adjusts up/down, in/out	
Rear Steer Kit	AM58004	<b>Yes-</b> Added rear caregiver bar to assist with steering and braking	
	N/A	<b>No-</b> My rider does not need assistance with steering or braking	
Drive System	AM48005	<b>Single Speed Drive System-</b> can be swapped between freewheel and direct drive	
	AM48003	<b>Multi Speed Drive System-</b> Shiftable 3-speed system for improved usability	
Rear Brake	AM58003	<b>Rear Brake-</b> Added rider control for rear brakes (cannot be used with Rear Steer Kit)	
	N/A	<b>No-</b> I have already added rear steer kit above or my rider does not need a rear brake	

### Accessories- Choose All that Apply for Your Rider

Hand Accessories		Foot and Leg Accessories		General Accessories		Helmet -FREE
Part	Qty:	Part	Qty:	Part	Qty:	Circle One
Wrist Wrap (Pr)		2" Knee Separator-		H-Harness -		XS
XS, S, M, L Size:		Knee Abductor Strap -		Trainer Roller System -		S
Left WristBrace (Ea)		Medium FootCups (Pr)		Water Bottle w Cage -		M
XXS, XS, S, M Size:		Small FootCups (Pr)		License Plate (Ea) -		L
Right WristBrace(Ea)		Pedal Blocks (Ea) -		Name /Chapter		
XXS, XS, S, M Size:		Each Ea		Email (For Confirmation)		
		Pair Pr		Rider Name (Purchase Order)		

## Amtryke Paceline 16" Foot Cycle Order Form

Choose below to order a Standard or Customized tryke based on your riders' needs

Date:

**PLEASE NOTE:** We highly recommend that each tryke is fitted to a rider by a licensed Physical or Occupational Therapist

### Standard Paceline 16" Foot Tryke

Quantity

Must be ordered as listed: Telescoping Handlebar, Expanding Pedals with leveler cord, Medium Pommel Seat, Seatback, Lateral Supports, Single Speed Drive System, 85% assembled with free shipping

**OR**

### Customized Paceline 16" Foot Tryke

Part Type	Part Number	Description	Qty:
Frame	MAF-16	<b>MAF-16 Base Frame Price Includes all standard components:</b> Front and Rear Frame, Front Wheel, Front Disc brake, Crank Set, Chainguard, Seat Base, Seat Post, Rear Axle, Rear Loading brake, Rear Wheels, Basket, Flag, and Helmet	
Handlebar	AM68000	<b>Telescoping Loop Handlebar with foam Grip-</b> Can be adjusted 13" in/out and swiveled up/down for ideal positioning	
	30-24-0011	<b>12" Hi-rise handlebars with grips-</b> For riders that do not need additional hand support or prefer a traditional style handlebar	
Pedals	AM78000	<b>Expanding Pedals-</b> Comes with adjustable pedal base, front and rear pedal straps, and leveling pulley kit	
	30-30-0122	<b>Exercise Pedals-</b> Provides support for riders that need minimal assistance in keeping feet on pedals, Includes adjustable strap	
	AM70000	<b>Platform pedals-</b> Standard bicycle pedals with no Foot support options	
Seat	AM30001	<b>Medium Pommel-</b> Soft contoured seat with high sides and built in pommel, 11.5" wide, 10.5" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation	
	AM30000	<b>Large Pommel-</b> Soft contoured seat with high sides and built in pommel, 14" wide, 13" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation	
	30-01-0201	<b>Tractor Seat-</b> Large contoured area for stable seating, 14" wide by 9" deep	
Seatback	AM38007	<b>Yes-</b> Includes position belt, 3-way angle adjust, full padded backrest, and push handle	
	N/A	<b>No-</b> My rider does not need back, trunk, or head support (Add Ons below not needed)	-
Seatback Add Ons	AM38003	<b>Lateral Supports-</b> Padded trunk supports that swivel, adjust up/down, and in/out	
	AM38008	<b>Simple Headrest-</b> Contoured headrest adjusts up/down, in/out (does not swivel)	
	AM38009	<b>Lumbar Pad-</b> Flat pad to support low back that adjusts up/down, in/out	
Rear Steer Kit	AM58001	<b>Yes-</b> Added rear caregiver bar to assist with steering and braking	
	N/A	<b>No-</b> My rider does not need assistance with steering or braking	
Drive System	AM48005	<b>Single Speed Drive System-</b> can be swapped between freewheel and direct drive	
	AM48003	<b>Multi Speed Drive System-</b> Shiftable 3-speed system for improved useability	
Rear Brake	AM58003	<b>Rear Brake-</b> Added rider control for rear brakes (cannot be used with Rear Steer Kit)	
	N/A	<b>No-</b> I have already added rear steer kit above or my rider does not need a rear brake	

### Accessories- Choose All that Apply for Your Rider

Hand Accessories		Foot and Leg Accessories		General Accessories		Helmet -FREE
Part	Qty:	Part	Qty:	Part	Qty:	
Wrist Wrap (Pr)		2" Knee Separato		H-Harness		Circle One
XS, S, M, L Size:		Knee Abductor Strap		Trainer Roller System		XS
Left WristBrace (Ea)		Medium FootCups (Pr)		Water Bottle w Cage		S
XXS, XS, S, M Size:		Small FootCups (Pr)		License Plate (Ea)		M
Right WristBrace(Ea)		Pedal Blocks (Ea)		Name /Chapter		L
XXS, XS, S, M Size:		Each	Ea	Email (For Confirmation)		
		Pair	Pr	Rider Name (Purchase Order)		

NOTE: Pro Series Orders may only be submitted via Amtryke.org. We are not accepting backorder requests at this time.



Adaptive Trykes for Amazing People!

## **Foot Tryke Specific Accessories:**

	Knee Separator: 2" 5" (not compatible with blue bucket, grey bucket, or snappy seat)
	9-inch Extender Tube 2" 5" (used with knee separator)
	Hi-Rise handlebars 5" (only 1412) 8" 12" 23"
	1/2" Exercise Pedals (cannot be used with pedal blocks and footcups) Models: 1412, 1416, 1420, 1420XL
	1/2" Expanding Pedals [Models: 1412, comes standard on 1416, 1420, 1420XL]
	Rear steering kit with rear disk brake [Models: 1416, 1420, 1420XL] (cannot be used with dual hand brake- caregiver activates rear brake)
	Dual hand brake with rear disk brake [Models: 1416, 1420, 1420XL] (single lever- rider activates front and rear brakes)
	3-speed kit/coaster brake [Models: 1416, 1420, 1420XL] (pedaling backward activates brake)
	Calf & Leg supports [Models: 1416, 1420, 1420XL]

\*\*Please make sure to review the accessories compatible with multiple models on the last page\*\*

**Foot Trykes:** please check the box for your tryke selection.

<b><u>1410</u></b> Foot Tryke- comes standard with 10-inch wheels, fixed drive, and rear steering
<b>Option 1 Seating System:</b> Standard seating system: Blue bucket seat
<b>Option 2 Seating System:</b> Snappy Seat System Accessories for Snappy: Lateral Head Rest
<b><u>1410 Accessories:</u></b> Separator eeCube

<b><u>ProSeries 1412</u></b> Foot Tryke- comes standard with 12-inch wheels, fixed drive, and rear steering
<b>Option 1 Seating System:</b> Standard seating system: Medium Pommel Saddle Seat and 1600 simple seat back Seat options: Bench Seat Large Pommel Saddle <del>Seat</del>
<b>Option 2 Seating System:</b> 1400 ProSeries Seat Back System- (push grip, back pad, medium pommel and lateral supports) Seat options: Bench Seat Large Pommel Saddle Seat
<b><u>ProSeries Accessories:</u></b> Full Padded Back Head Rest Lumbar Pad Recumbent Post (10 deg)
<b>Option 3 Seating System:</b> Gray Bucket Seat
<b>Option 4 Seating System:</b> Snappy Seat System (be sure of measurements)



Adaptive Trykes for Amazing People!

	<u>Snappy Seat Accessories:</u>		
	Laterals	Head Rest	Separator Cube
	<b>1412 Accessories:</b> Front Handle Brake Kit (cannot be used with rear steer brake)		

	<b>ProSeries 1416</b> Foot Tryke- Comes standard with 16-inch wheels, fixed or freewheel drive			
	<b>Option 1 Seating System:</b> Standard Seating System- 1400 ProSeries Seat back system- (push grip, back pad, medium pommel saddle seat and lateral supports)			
	<u>Seat options:</u>			
	Bench Seat	Large Pommel	Tractor Seat with bracket	Saddle Seat
	<u>ProSeries Accessories:</u>			
	Full Padded Back	Head Rest	Lumbar Pad	Recumbent Post (10 deg)
	<b>Option 2: Seating System</b> 1600 Simple Seat back with Medium pommel saddle seat			
	<u>Seat options:</u>			
	Bench Seat	Large Pommel	Tractor Seat with bracket	Saddle Seat
	<b>Option 3 Seating System:</b> Gray Bucket Seat			

	<b>ProSeries 1420</b> Foot Tryke- Comes standard with 20-inch wheels, fixed or freewheel drive			
	<b>Option 1 Seating System:</b> Standard Seating System- 1400 ProSeries Seat back system- (push grip, back pad, large pommel saddle seat and lateral supports)			
	<u>Seat options:</u>			
	Bench Seat	Medium Pommel	Tractor Seat with bracket	Saddle Seat
	<u>ProSeries Accessories:</u>			
	Full Padded Back	Head Rest	Lumbar Pad	Recumbent Post (10 deg)
	<b>Option 2 Seating System:</b> 1600 Simple Seat back with large pommel saddle seat			
	Seat options:			
	Bench Seat	Medium Pommel	Tractor Seat with bracket	Saddle Seat
	<b>Option 3 Seating System:</b> Gray Bucket Seat			

	<b>ProSeries 1420XL</b> Foot Tryke- Comes standard with 20 inch wheels, fixed or freewheel drive			
	<b>Option 1 Seating System:</b> Standard Seating System- 1400 ProSeries Seat back system- (push grip, back pad, large pommel saddle seat and lateral supports)			



Adaptive Trykes for Amazing People!

	<u>Seat options:</u>  Bench Seat      Medium Pommel      Tractor Seat with bracket      Saddle Seat
	<u>ProSeries Accessories:</u>  Full Padded Back      Head Rest      Lumbar Pad      Recumbent Post (10 deg)
	<b>Option 2 Seating System:</b> 1600 Simple Seat back with large pommel saddle seat  <u>Seat options:</u>  Bench Seat      Medium Pommel      Tractor Seat with bracket      Saddle Seat

### **Recumbent Tryke Specific Accessories:**

	Exercise pedals (cannot be used with pedal blocks and footcups)
	XL exercise pedals (cannot be used with pedal blocks and footcups)
	9/16 expanding pedals
	Basket (JT models only)
	Toe clips (only compatible with standard bike pedals)
	Dual Hand Brake

**Recumbent Foot Trykes:** please check the box for your tryke selection.

	<b>JT-2000</b> Recumbent Foot Tryke- Comes standard with 14-speed shifter, rider must be able to brake, steer, and change gears independently
	<b>JT-2300</b> Recumbent Foot Tryke- Comes standard with 14-speed shifter with <u>under the seat steering</u> , rider must be able to brake, steer, and change gears independently
	<b>TP-3000 Tadpole</b> Recumbent Foot Tryke- Comes standard with 7-speed shifter with <u>under the seat steering</u> , rider must be able to brake, steer, and change gears independently



*Adaptive Trykes for Amazing People*

**Rider's Name:**

## **Hand and Hand-Foot Tryke Specific Accessories:**

	Knee Separator: 2" (only on AM12 and AM16)	5"	
	9-inch extender tube (used with knee separator)	2"	5"
	Vertical Hand Grips [Models: AM10, AM12s, AM12, AM16]		
	9/16 <sup>th</sup> inch exercise pedals [Models: AM12s, AM12, AM16]		
	Foot platform → converts Hand-Foot to Hand only (only compatible with AM10, AM12, AM12s, and AM16)		

**\*\*Please make sure to select accessories compatible with multiple frames on last page\*\***

**Hand-Foot Trykes:** please check the box for your tryke selection.

<b>AM-10</b> Hand-Foot Tryke- Comes standard with 10 inch wheels, 2.5 inch crank arms, and rear steering kit
<b>Option 1 Seating System:</b> Blue Bucket Seat
<b>Option 2 Seating System:</b> Snappy Seat System  Snappy Accessories: Head Rest                    Laterals
<b><u>AM-10 Accessories:</u></b>  Separator Cube

<b>AM-12s</b> Hand-Foot Tryke- Comes standard with 12 inch wheels, 3 inch crank arms, saddle seat, and rear steering kit
<b>Option 1 Seating System:</b> 1600 Seat back with saddle seat Seat options:      Bench Seat      Medium Pommel      Large Pommel
<b>Option 2 Seating System :</b> ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports) <u>Seat options:</u> Bench Seat      Medium Pommel      Large Pommel <u>ProSeries Accessories:</u> Full Padded Back      Head Rest      Lumbar Pad
<b>Option 3 Seating System:</b> Blue Bucket Seat Blue bucket Accessories:      Separator Cube



	<b>Option 4 Seating System:</b> Snappy Seat		
<u>System Snappy Accessories:</u>			
Head Rest	Laterals	Separator Cube	

	<b>AM-12</b> Hand-Foot Tryke: Comes standard with 12 inch wheels, 4 inch crank arms, and rear steering kit		
	<b>Option 1 Seating System:</b> 1600 Seat back with saddle seat		
	Seat Options:      Bench Seat      Medium Pommel      Large Pommel		
	<b>Option 2 Seating System:</b> ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports)		
	<u>Seat options:</u>		
	Bench Seat      Medium Pommel      Large Pommel		
	<u>ProSeries Accessories:</u>		
	Full Padded Back      Head Rest      Lumbar Pad		
	<b>Option 3 Seating System:</b> Gray Bucket Seat		
	<b>Option 4 Seating System:</b> Snappy Seat System (please check measurements)		
	<u>Snappy Accessories:</u>		
	Head Rest	Laterals	Separator Cube

	<b>AM-16</b> Hand-Foot Tryke- Comes standard with 16 inch wheels, 5 inch crank arm, and rear steering kit		
	<b>Option 1 Seating System:</b> 1600 Seat back with saddle seat		
	Seat Options:      Bench Seat      Medium Pommel      Large Pommel		
	Tractor Seat		
	<b>Option 2 Seating System:</b> ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports)		
	<u>Seat Options:</u>		
	Bench Seat      Medium Pommel      Large Pommel      Tractor Seat		
	<u>Pro Series Accessories:</u>		
	Full Padded Back      Head Rest      Lumbar Pad		
	<b>Option 3 Seating System:</b> Gray Bucket Seat		
	<b>AM-16 Accessories:</b> XL exercise pedals		



*Adaptive Trykes for Amazing People!*

**Hand Cycles:** please check the box for your tryke selection.

**1020 "Junior"** Hand Tryke-

Comes standard with 20 inch wheels and 3-speed drive train. Rider should be able to steer, brake, and change gears independently.

	<b><u>Option 1 Seating System:</u></b> Small Wheelchair
	Seat Seat Alternatives: Large wheelchair seat
	<b><u>1020 Accessories:</u></b>
	Wheelchair seat bar ends      Swing away arms

**1024** Hand Tryke-

Comes standard with 24 inch wheels and 3-speed drive train. Rider should be able to steer, brake, and change gears independently.

	<b><u>Option 1 GYUhb[ GnghYa :</u></b> Large Wheelchair
	Seat Seat Alternatives: Small wheelchair seat
	<b><u>1024 Accessories:</u></b>
	Wheelchair seat bar ends      Swing away arms

## Accessories compatible with multiple frames

Rider's Name: \_\_\_\_\_

### Accessories compatible with multiple frames

<b>Fun Items</b>	License Plate		Water Bottle with Cage
<b>Leg and Foot Items</b>	Foot cups (pair):		Pedal Blocks: 1= $\frac{3}{4}$ inch
	Small	Medium	Quantity
<b>Hand Items</b>	Wrist Wraps (pair)		Wrist Brace/Mitt:
	Xsmall:	Small:	Right      Left
<b>Safety/Position</b>	H-harness=11.5" *not compatible with large wheelchair seat or recumbent seats		Small      Medium
	Knee Adductor Strap		

### Therapist notes or comments: